

SAFETY DATA SHEET

SPA BROMINE TABLETS 10KG

Infosafe No.: LQ4HI
 Issued Date: 10/06/2015
 Issued by: WATERCO LIMITED

1. IDENTIFICATION

GHS Product Identifier

SPA BROMINE TABLETS 10KG

Product Code

3490110

Company Name

WATERCO LIMITED

Address

36 South Street Rydalmere
 NSW 2116 Australia

Telephone/Fax Number

Tel: 61 2 9898 8600

Emergency phone number

Australia 1800 638 556 land line for transport by air and sea +61 438 465960/ New Zealand 0800 154 666 land line for transport by air and sea +64 962 390 85

Recommended use of the chemical and restrictions on use

Disinfectant/decontaminant for spas and heated pools, cooling towers, irrigation lines & cut flower holder water.

Other Names

Name	Product Code
SPA BROMINE TABLETS 1KG	349061
SPA BROMINE TABLETS 2KG	349062

2. HAZARD IDENTIFICATION

GHS classification of the substance/mixture

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

GHS (3rd) Classification:

Acute toxicity - Dermal category 4
 Acute toxicity - Inhalation category 4
 Acute toxicity - Oral category 4
 Eye damage/irritation 1
 Oxidizing solids category 2
 Skin corrosion/irritation category 1C

Signal Word (s)

DANGER**Hazard Statement (s)**

H272 May intensify fire; oxidizer.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

Precautionary Statement (s)

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

Pictogram (s)

Exclamation mark, Corrosion, Flame over circle

**Precautionary statement – Prevention**

P210 Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

P220 Keep/Store away from clothing/combustible materials.

P221 Take any precaution to avoid mixing with combustibles.

P260 Do not breathe mist/vapours/spray.

P264 Wash contaminated skin thoroughly after handling

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statement – Response**GENERAL**

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

INHALATION

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P310 Immediately call a POISON CENTER or doctor/physician.

P330 Rinse mouth.

INGESTION

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P310 Immediately call a POISON CENTER or doctor/physician.

EYE

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

SKIN

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P310 Immediately call a POISON CENTER or doctor/physician.

P363 Wash contaminated clothing before reuse.

OTHER

P370+P378 In case of fire: Use water for extinction.

Precautionary statement – Storage

P405 Store locked up.

Precautionary statement – Disposal

P501 Dispose of contents/container to an approved waste disposal plant.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Name	CAS	Proportion
Bromochloro- 5, 5- dimethyl hydantoin	126- 06- 7	90- 100 %
Ingredients determined not to be hazardous		Balance

4. FIRST-AID MEASURES**Inhalation**

If inhaled, remove affected person from contaminated area. Apply artificial respiration if not breathing. Seek medical attention.

Ingestion

Do not induce vomiting. Wash out mouth thoroughly with water. Seek immediate medical attention.

Skin

Remove all contaminated clothing immediately. Wash gently and thoroughly with water and non-abrasive soap for 15 minutes. Ensure contaminated clothing is washed before re-use or discard. Seek immediate medical attention.

Eye contact

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Seek immediate medical attention.

First Aid Facilities

Eyewash, safety shower and normal washroom facilities.

Advice to Doctor

Treat symptomatically.

Other Information

For advice in an emergency, contact a Poisons Information Centre or a doctor at once. (131 126)

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Use water.

Unsuitable Extinguishing Media

Do not use ammonium phosphate extinguisher near water and product.

Hazards from Combustion Products

Under fire conditions this product may emit toxic and/or irritating fumes, gases and vapours including toxic hydrogen bromide and bromine. Will smoulder in large fires, fuelled by other materials, with emission of dense black smoke for a long time.

Specific Hazards Arising From The Chemical

A strong oxidising agent. Contact with combustible material may cause fire. Non-combustible, but will support the combustion of other materials.

Hazchem Code

1Y

Precautions in connection with Fire

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) and full protective clothing to prevent exposure to vapours, fumes or products of combustion. Water spray may be used to cool down heat-exposed containers.

6. ACCIDENTAL RELEASE MEASURES**Emergency Procedures**

Increase ventilation. Evacuate all unprotected personnel. Wear sufficient respiratory protection and full protective clothing to prevent exposure. Sweep up material avoiding dust generation or dampen spilled material with water to avoid airborne dust, then transfer material to a suitable container. Wash surfaces well with soap and water. Seal all wastes in labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations.

If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Corrosive solids. Attacks skin and eyes. Causes burns. Avoid breathing in dust. Wear suitable protective clothing, gloves and eye/face protection when mixing and using. Use in designated areas with adequate ventilation. Keep containers tightly closed. Ensure a high level of personal hygiene is maintained when using this product, that is, always wash hands after handling, and before eating, drinking, smoking or using the toilet facilities.

Conditions for safe storage, including any incompatibilities

Corrosive. Store in a cool dry well-ventilated area. Store away from oxidising agents and bases/acids. Keep containers closed when not in use, securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Store in original packages as approved by manufacturer. Ensure that storage conditions comply with applicable local and national regulations. Refer to AS 4326-2008 The storage and handling of oxidizing agents and AS 3780-2008 The storage and handling of corrosive substances.

Storage Temperatures

20-32°C

Unsuitable Materials

Paint, petroleum, other combustible organic materials, organic and inorganic oxidizers, ammonia, urea or similar nitrogen containing compounds, strong reducing agents & calcium hypochlorite.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limit values

No exposure standards have been established for this material. However, the available exposure limits for ingredients are listed below:

Chlorine

TWA: 1 ppm, 3 mg/m³

Notes: Peak Limitation

Dust not otherwise specified

TWA: 10 mg/m³

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

STEL (Short Term Exposure Limit): The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

Peak Limitation: A ceiling concentration which should not be exceeded over a measurement period which should be as short as possible but not exceeding 15 minutes.

Biological Limit Values

No biological limits allocated.

Appropriate Engineering Controls

This substance is hazardous and should be used with a local exhaust ventilation system, drawing vapours away from workers' breathing zone. If the engineering controls are not sufficient to maintain concentrations of vapours/mists below the exposure standards, suitable respiratory protection must be worn.

Respiratory Protection

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable dust/particulate filter should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

Eye Protection

Safety glasses with full face shield should be used. Eye protection devices should conform to relevant regulations.

Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial

Applications.

Hand Protection

Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

Body Protection

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Solid tablet

Colour

White

Odour

Faint halogenous odour

Melting Point

163-164°C

Boiling Point

Not applicable

Solubility in Water

Not available

Solubility in Organic Solvents

Not available

Specific Gravity

1.8-2

pH

3.4 - 3.6 (0.1% solution) (25°C)

Vapour Pressure

Not applicable

Vapour Density (Air=1)

Not applicable

Evaporation Rate

Not applicable

Odour Threshold

Not available

Viscosity

Not available

Partition Coefficient: n-octanol/water

Not available

Flash Point

Not applicable

Flammability

Oxidiser. Non-combustible, however in fire situations oxygen may be liberated and increase the intensity of the fire.

Auto-Ignition Temperature

Not applicable

Flammable Limits - Lower

Not applicable

Flammable Limits - Upper

Not applicable

Oxidising Properties

Oxidiser

10. STABILITY AND REACTIVITY

Reactivity

Refer to Sec 10: Possibility of hazardous reactions.

Chemical Stability

Stable under normal conditions of storage and handling.

Conditions to Avoid

Dust accumulation. Extremes of temperature and direct sunlight. Moisture. Contact with combustible materials. Do not mix with anything other than water.

Incompatible materials

Paint, petroleum, other combustible organic materials, organic and inorganic oxidizers, ammonia, urea or similar nitrogen containing compounds, strong reducing agents & calcium hypochlorite. Do not mix with anything other than water.

Hazardous Decomposition Products

Thermal decomposition may result in the release of toxic and/or irritating fumes, gases and vapours including hydrogen bromide and bromine fumes at >160°C.

Possibility of hazardous reactions

Will react with incompatible materials.

Hazardous Polymerization

Will not occur.

11. TOXICOLOGICAL INFORMATION

Toxicology Information

The available toxicity data for material given below.

Acute Toxicity - Oral

LD50 (Rat): 929 mg/kg

Acute Toxicity - Inhalation

LD50 (Rat): 1.1mg/L/4h

Ingestion

Harmful if swallowed. Ingestion of this product will cause nausea, vomiting, abdominal pain and chemical burns to the mouth, throat and stomach.

Inhalation

Harmful if inhaled. Inhalation will result in respiratory irritation and possible harmful corrosive effects including lesions of the nasal septum, pulmonary edema, pneumonitis and emphysema.

Skin

Harmful in contact with skin. Product can be absorbed through skin with resultant harmful systemic effects. Causes burns. Corrosive to the skin. Skin contact can cause redness, itching, irritation, severe pain and chemical burns with resultant tissue destruction.

Eye

Causes eye damage. Eye contact will cause stinging, blurring, tearing, severe pain and possible burns, necrosis, permanent damage and blindness.

Respiratory sensitisation

Not expected to be a respiratory sensitiser.

Skin Sensitisation

Not expected to be a skin sensitiser.

Germ cell mutagenicity

Not considered to be a mutagenic hazard.

Carcinogenicity

Not considered to be a carcinogenic hazard.

Reproductive Toxicity

Not considered to be toxic to reproduction.

STOT-single exposure

Not expected to cause toxicity to a specific target organ.

STOT-repeated exposure

Not expected to cause toxicity to a specific target organ by repeated exposure.

Aspiration Hazard

Not expected to be an aspiration hazard.

Other Information

Primary skin irritation index 6.1 (corrosive to skin and eyes).

Contact with diluted solution (<0.1%) is non-irritating to skin and eyes.

12. ECOLOGICAL INFORMATION

Ecotoxicity

No ecological data available for this material.

Persistence and degradability

Not available

Mobility

Not available

Bioaccumulative Potential

Not available

Environmental Protection

Do not allow product to enter drains, waterways or sewers.

13. DISPOSAL CONSIDERATIONS

Disposal considerations

The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.

14. TRANSPORT INFORMATION

Transport Information

Road and Rail:

This material is classified as Dangerous Goods Division 5.1 Oxidising substances according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).

Division 5.1 Dangerous Goods are incompatible in a placard load with any of the following:

- Class 1, Explosives
- Division 2.1, Flammable Gases
- Division 2.3, Toxic Gases
- Class 3, Flammable Liquids
- Division 4.1, Flammable Solids
- Division 4.2, Spontaneously Combustible Substances
- Division 4.3, Dangerous When Wet Substances
- Some Division 5.1 Oxidising substances (Refer Table 9.2)
- Division 5.2, Organic Peroxides
- Class 6, Toxic and Infectious Substances, if the Class 6 substance is a fire risk substance
- Class 7, Radioactive Substances
- Class 8, Corrosive Substances
- Class 9, Miscellaneous Dangerous Goods, if the Class 9 substance is a fire risk substance
- Fire risk substances
- Combustible liquids

Marine Transport (IMO/IMDG):

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

UN No.: 1479

Proper Shipping Name: OXIDIZING SOLID, N.O.S. (Bromochloro-5,5-dimethyl hydantoin)
Class: 5.1
Packaging Group: II
EMS No.: F-A, S-Q
Special Provisions: 274, 900

Air Transport (ICAO/IATA):

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

UN No.: 1479

Proper Shipping Name: OXIDIZING SOLID, N.O.S. (Bromochloro-5,5-dimethyl hydantoin)

Class: 5.1

Packaging Group: II

Label: Oxidizer

Packaging Instructions (passenger & cargo): 558

Packaging Instructions (cargo only): 562

Special Provisions: A3, A803

U.N. Number

1479

UN proper shipping name

OXIDIZING SOLID, N.O.S.(Bromochloro-5,5-dimethyl hydantoin)

Transport hazard class(es)

5.1

Packing Group

II

Hazchem Code

1Y

Packaging Method

3.8.5.1

EPG Number

5B1

IERG Number

31

IMDG Marine pollutant

No

15. REGULATORY INFORMATION

Regulatory information

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Poisons Schedule

S5

Australia (AICS)

All components of this product are listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Date of preparation or last revision of SDS

SDS Created: June 2015

References

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice
Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

Workplace exposure standards for airborne contaminants, Safe work Australia.

American Conference of Industrial Hygienists (ACGIH)

Globally Harmonised System of classification and labelling of chemicals.

Contact Person/Point

Emergency contact:

Australia 1800 638 556 landline +61 438 465 960

New Zealand 0800 154 666 landline +64 962 390 85

END OF SDS

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.

